

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – PR&RD – Allegations of irregularities in execution of road work "Providing BT to the road from Chowtapalli to Jupeda via Gaigollapalli of Kusumanchi (M), Khammam Distirct – Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division - Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 574.

Dated: 09.04.2012

ORDER:

It is proposed to hold an enquiry against Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division is directed to submit within (10) days of the receipt of this order, a written statement of his defence.

4. Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny article of charge.

5. Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division, Palakollu, Narsapur Division is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

(PTO)

::2::

7. The receipt of this order shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division,
Tirumalayapalem and presently Dy.Executive Engineer, PRI Sub-Division,
Palakollu, Narsapur Division through the Engineer-in-Chief, Panchayat Raj,
Hyderabad.

The Engineer-in-Chief, Panchayat Raj, Hyderabad.

(in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The G.A.(V&E) Dept. (w.r.t.Vigilance Report No.116 (1503/V&E/E2/2007-6), dt. 23.09.2010.

The PR&RD (Estt.I) Department.

SF/SC

// FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No. 574, PR&RD (Vig.IA) Dept., dt.09.04.2012)

STATEMENT OF DRAFT ARTICLE OF CHARGE AGAINST SRI M. ANANDA RAJU, THE THEN DEPUTY EXECUTIVE ENGINEER, PR SUB-DIVISION, TIRUMALAYAPALEM AND PRESENTLY DEPUTY EXECUTIVE ENGINEER, PRI SUB-DIVISION, PALAKOLLU, NARSAPUR DIVISION.

CHARGE:

That the said Sri M. Ananda Raju, the then Deputy Executive Engineer, PR Sub-Division, Tirumalayapalem check measured the substandard B.T. work from KM: 3/0 to 6/0 and KM: 7/0 to 10/200 pertaining to the work "Providing BT road from Chowtapalli to Jupeda via Gaigollapalli of Kusumanchi (M)" and caused rejection. Thus the individual failed to maintain integrity in executing the said work and deviated from his legitimate duties.

Basis:

As per the abstract of recommendations findings of the Vigilance Report No.116 (1503/V&E/E2/2007-6), dt. 23.09.2010, the said officer has check measured substandard B.T. work from KM: 3/0 to 6/0 and KM: 7/0 to 10/200 pertaining to the work "Providing BT road from Chowtapalli to Jupeda via Gaigollapalli of Kusumanchi (M)". The deficiency in bitumen component is observed to be more than the allowable 15% and hence it is to be rejected as per the Government instructions in their Memo No.15320/Vig.I/2005-1, dt. 12.05.2006.

Thus the said officer check measured the substandard B.T. work with deficiencies more than the allowable limits.

Hence, the charge.

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT

// FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. 574, PR&RD (Vig.IA) Dept., dt. 09.04.2012)

LIST OF DOCUMENTS BY WHICH DRAFT ARTICLE OF CHARGE ARE PROPOSED TO BE SUSTAINED AGAINST SRI M. ANANDA RAJU, THE THEN DEPUTY EXECUTIVE ENGINEER, PR SUB-DIVISION, TIRUMALAYAPALEM AND PRESENTLY DEPUTY EXECUTIVE ENGINEER, PRI SUB-DIVISION, PALAKOLLU, NARSAPUR DIVISION.

General Administration (V&E) Dept., Vigilance Report No. 116 (1503/V&E/E2/2007-6),
dt. 23.09.2010.

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT

// FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No. 574, PR&RD (Vig.IA) Dept., dt. 09.04.2012)

LIST OF WITNESSES BY WHOM DRAFT ARTICLE OF CHARGE ARE PROPOSED TO BE SUSTAINED AGAINST SRI M. ANANDA RAJU, THE THEN DEPUTY EXECUTIVE ENGINEER, PR SUB-DIVISION, TIRUMALAYAPALEM AND PRESENTLY DEPUTY EXECUTIVE ENGINEER, PRI SUB-DIVISION, PALAKOLLU, NARSAPUR DIVISION.

- NIL -

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT

// FORWARDED BY ORDER//

SECTION OFFICER